

2025

FENDER

泥除

CHAIN COVER 鏈罩

ACCESSORIES 配件



BIKEMEN



百客滿工業股份有限公司

customized
multiple colors
recyclable material
lightweight products
any plastic parts & ABS paint products

BizMo Busuness turn mobile

FENDER

fender type/electric

fender tail

fender stay

hanger

special products fender

FAT TIRE

MTB

ROAD

universal fender

SINGLE STRIP/S TYPE

3 STRIP /A*3 TYPE

5 STRIP /A TYPE

C TYPE

M TYPE

B TYPE

AP TYPE

CP TYPE

AL ALLOY

CHAIN COVER

complex material

city bike/BMX/electric

adjuster design

ACCESSORIES

商用易拆卸護裙網

泥除

泥除規格/導電裝置

泥除尾

支架

固定片/架

專用型泥除

胖胎車泥除

登山車泥除

公路車泥除

通用型泥除

單片泥除

三線導電泥除

五線導電泥除

噴漆泥除

噴漆泥除

噴漆導電泥除

五線強化型後泥除

噴漆強化型後泥除

鋁合金泥除

鏈罩

複合材質

城市車用

R.C可調

配件

3

4

5

10

11

14

19

16

17

17

18

18

18

20

20

20

21

21

22

25

26

27

30

Bicycle accessories 自行車套件

riding conductive
騎乘導電



FENDER 泥除



riding conductive
騎乘導電



BizMo Business turn mobile
商用易拆卸護裙網



CHAINCOVER 鏈罩



BizMo Busuness turn mobile 商用易拆卸護裙網

Patent number 專利號碼:107213485

protective skirt

保護裙裝捲入

increasing image visibility

增加形象能見度

making money from advertising

提供廣告收益

fasten clip on system

可立即拆卸替換



FENDER 泥除

S-TYPE

A*3-TYPE

A-TYPE

conductive

B-TYPE

C-TYPE

M-TYPE

electric 導電裝置



stay 支架

tail 泥除尾

fork hanger 固定片

hanger 活動架



Lightweight products 150g to 200g 1Set 輕量化 泥除1組150~200公克

	model	SP-33S	SP-37S	SP-40S	SP-45S	SP-50S	SP-52S				
		SP-33A*3	SP-37A*3	SP-40A*3	SP-45A*3	SP-50A*3	SP-52A*3				
	width (mm)	33	37	40	45	50	52	56	60	73	
	high (mm)	19	18	24	22	21	20	23	22	30	
	model				SP-45B	SP-50B					
	SP-33C	SP-37C	SP-40C	SP-45C	SP-50C	SP-56C	SP-60C	SP-45M	SP-50M	SP-56M	SP-60M
width (mm)	33	37	40	45	50	56	60	45	50	56	60
high (mm)	17	16	22	20	19	19	18	19	19	18	18

customized service

A-total length
B-bracket hanger
C/D-stay fixed place




Al alloy




Tire specifications wheel rim width	model	SP-45LY	SP-50LY	SP-58L	SP-58LY	SP-62LY	SP-65LY	SP-66L	SP-70L	SP-70LY	SP-75LY	SP-85L	SP-105L
	Metric sizes (mm)	35~42	45~47	55~58	57~60	58~62	60~66	62~68	62~68	67~75	75~90	90~115	
	Fractional inch size	1 ³ / ₈	1 ¹ / ₂	1 ¹ / ₂ ~1 ³ / ₄	1 ³ / ₄ ~2 ¹ / ₂	2~2 ¹ / ₄	2 ¹ / ₄ ~2 ¹ / ₂						
	Decimal sizes	1.35	1.5	1.75~1.95	1.75~2	1.95~2.125	2~2.2	2.125~2.25	2.25~2.5	2.5~3	3~4		
	Front side (mm)	16~24	22~27	27~30.5	27~30.5	27~30.5	27~30.5	27~30.5	27~30.5	27~30.5			
	Side view (mm)	17C~23C	19C~25C	25C									

wheel rim or tire diameter common specifications 輪徑規格



wheel rim width-recommended for fender style 適用泥除規格



Metric sizes (mm) inch sizes FRENCH Fender radius

Metric sizes (mm)	inch sizes	FRENCH	Fender radius	SP-33S	SP-37S	SP-40S	SP-45S	SP-50S	SP-52S				
203~248	12	300A	180R				☆	★					☆
279~298	14	350A	200R				☆	★					☆
305~349	16		220R				☆	★					☆
355~390	18		250R			★	☆	★					☆
400~451	20		275R	★	☆	★	☆	★	☆	★	☆	★	☆
457~498	22		300R	★	☆	★	☆	★	☆	★	☆	★	☆
501~547	24		325R	★	☆	★	☆	★	☆	★	☆	★	☆
559~597	26		350R	★	☆	★	☆	★	☆	★	☆	★	☆
584	26or27.5		350R	★	☆	★	☆	★	☆	★	☆	★	☆
622	28or29		370R	★	☆	★	☆	★	☆	★	☆	★	☆
635/642	28	400A	380R	★	☆	★	☆	★	☆	★	☆	★	☆
642↑				★	☆	★	☆	★	☆	★	☆	★	☆

Metric sizes	inch sizes	FRENCH	Fender radius	B/M/ TYPE									
400~642↑	20~30↑	500A ~ 700A	275R ~ 380R				SP-45B	SP-50B					
							SP-45M	SP-50M		SP-56M	SP-60M		
							☆	★		★	☆		

Metric sizes	inch sizes	FRENCH	Fender radius	PLUS (rear)									
559~642	26~30	650A ~ 700A	350R ~ 380R						SP-52SP				
									SP-52AP*3				
									SP-52AP	SP-56AP	SP-60AP	SP-75AP	
									SP-50CP	SP-56CP	SP-60CP		
									SP-50MP	SP-56MP	SP-60MP		
									★	☆	★	☆	★

SINGLE STRIP 單片

SP-33S SP-37S SP-40S SP-45S SP-50S SP-52S

3 STRIP 三線

SP-33A*3 SP-37A*3 SP-40A*3 SP-45A*3 SP-50A*3 SP-52A*3 SP-952 SP-151

5 STRIP 五線

SP-40A SP-45A SP-50A SP-52A SP-56A SP-60A SP-75A

C TYPE

SP-33C SP-37C SP-40C SP-45C SP-50C SP-56C SP-60C

electric

SP-45~75

S A*3 A C M
SP AP*3 AP CP MP

SP-958A SP-958B SP-958C SP-958D
Single line Double line Double line Three lines
8mm 5+5mm 7+7mm 7+8+7mm



SP-33~60

S A*3 A C M

SP-40~75

S A*3 A C M

SP-954

5mm



SP-955

5mm



SP-956

5mm



A*3 A B

bicycle grinding lamp
磨電燈適用



COLOR 泥除顏色

S A*3 A SP AP*3 AP



S SP

FS SS



A AP

F1 F2 F3 F4 F5 F6 F7 F8 7AN1



A*3 AP*3

reflector 反光色

Promote night ride safety
促進夜晚騎乘安全
Multiple colors with fenders
多樣選擇多色反光 搭配彩色泥除

S A*3 SP AP*3

1A1BR

F11SR

FB1BR



impact resistant engineering plastic painting fender 耐衝擊工程塑料噴漆泥除

B C M CP MP

matt black

shine black

matt silver

shine silver

white

two side 雙色

In&out side two colors

clean room painting system
無塵室噴漆系統



FENDER

C M CP MP

two tone 雙色

1CT2C

7CT1C

7CT2C

7CT3C

8CT2C

1CT4C

4CT2C

7CT1C

customize color 客制顏色



TAIL 泥除尾

Arc END END1 37F



1F 2F 3F 4F



5F 6F 7F 8F



SP-1026 SP-1028



FENDER TYPE		Arc	END	END1	37F	1F	2F	3F	4F	5F	6F	7F	8F	SP-1026	SP-1028
SP-33S	SP-33A*3 SP-151	★	★												
SP-37S	SP-37A*3	★	★		★	★									
SP-40S	SP-40A*3	★		★		★		★		★		★			
SP-45S	SP-45A*3	★		★		★		★		★		★	★	★	★
SP-50S	SP-50A*3	★		★				★		★		★	★		
SP-52S	SP-52A*3	★		★				★		★		★	★		
SP-52SP	SP-52AP*3	★		★				★		★		★	★		
SP-56A	SP-56AP	★		★			★		★		★				
SP-60A	SP-60AP	★		★				★		★		★			
SP-75A	SP-75AP	★		★											
SP-33C		★	★												
SP-37C		★	★		★	★									
SP-40C		★		★		★		★		★		★			
SP-45B	SP-45C	★		★		★		★		★		★	★	★	
SP-45M		★		★				★		★		★			
SP-50B	SP-50C	★		★				★		★		★	★		
SP-50M	SP-50MP	★		★				★		★		★			
SP-56C	SP-56CP	★		★			★		★		★				
SP-60C	SP-60CP	★		★				★		★		★			
SP-56M	SP-56MP	★		★				★		★		★			
SP-60M	SP-60MP	★		★				★		★		★			

STAY 支架

FENDER TYPE			I						V								A						U	QA		QU	
			I1 ~ I4	I5 ~ I8	I9 ~ I12	I13 ~ I15	I14 ~ I19	I16 ~ I19	V1	V2	V3	V4	V5	V6	V7	V8	A1	A2	A3	A4	A5	A6	U1 U2 U3	QA 1	QA 2	QU 1	QU 2
SP-33/37S		SP-33/37A*3		☆	☆	☆	☆	☆	☆	☆	☆	☆	☆	☆	☆	☆	☆	☆	☆	☆	☆						
SP-40/45/ 50/52S	SP-40/45/ 50/52A*3	SP-40/45/ 50/52A	★	★	★	★	★	★	★	★	★	★	★	★	★	★	★	★	★	★	★	★	★	★	★	★	★
SP-52SP	SP-52AP*3	SP-52AP		☆	☆		☆	☆		☆	☆		☆	☆	☆	☆	☆	☆	☆	☆	☆	☆					
SP-56/60A			★	★	★	★	★	★	★	★	★	★	★	★	★	★	★	★	★	★	★	★	★	★	★	★	★
SP-56/60AP				☆	☆		☆	☆		☆	☆		☆	☆	☆	☆	☆	☆	☆	☆	☆	☆	☆				
SP-75A						★			★			★			★	★	★	★	★	★	★	★	★				
SP-75AP																☆	☆	☆	☆	☆	☆	☆	☆				
SP-151						★																★					
SP-33/37C			☆	☆	☆	☆			☆	☆	☆	☆	☆	☆			☆	☆	☆	☆	☆	☆					
SP-45/50B			★	★	★	★			★	★	★	★	★	★			★	★	★	★	★	★	★				
SP-40/45/50C			☆	☆	☆	☆			☆	☆	☆	☆	☆	☆			☆	☆	☆	☆	☆	☆	☆	☆	☆	☆	☆
SP-50CP				★	★				★	★		★	★				★	★	★	★	★	★	★				
SP-56/60C			☆	☆	☆	☆			☆	☆	☆	☆	☆	☆			☆	☆	☆	☆	☆	☆	☆	☆	☆	☆	☆
SP-56/60CP				★	★				★	★		★	★				★	★	★	★	★	★	★				
M TYPE			☆	☆	☆	☆			☆	☆	☆	☆	☆	☆			☆	☆	☆	☆	☆	☆		☆	☆		
M TYPE PLUS				★	★				★	★		★	★				★	★	★	★	★	★					



FENDER

according to the fender selection stay

依照泥除選擇支架

SP-33~60


S A*3 A B C M



SP-33~60

S A*3 A B C M

SP AP*3 AP CP MP



SP-33~60

S A*3 A SP AP*3 AP



S A*3 A B C M

I13




SP-33~60

S A*3 A SP AP*3 AP

SMF/I

I14

I15



SP-40~60

S A*3 A C M

SP-40~52

S A*3 A C

QU

QU1

QU2



SP-33~60

S A*3 A B C M

V1 MQF/V



V4 V & BRACKET



SP-33~60

S A*3 A SP AP*3 AP

V7 SP-1025/V



V8 SMF/V




SP-33~75

S A*3 A B C M
SP AP*3 AP CP MP


A




A1



A2



A3



A4



A5




A6




SP-33~60

S A*3 A B C M
SP AP*3 AP CP MP

V2 SQF/V



V3 SNF/V



V5 SQF/V & Adjuster



V6 SQF/V & New Adjuster



SP-40~75

S A*3 A C
SP AP*3 AP CP


U



U1



U2



U3



FENDER

hanger

fork hanger 固定片

out side



inside



left riveting





right riveting



S A*3 A B C M

NO.1	NO.2	NO.3	NO.4	NO.5	NO.8
NO.9	NO.11-1	NO.12	NO.16	NO.17	NO.19



slide hanger 活動架

fixed hanger 固定架

SP-45/50

SP-56/60

SP-33~60

SP-33~60

slide hanger plastic 45

slide hanger plastic 56

slide hanger 37/45/52/56

fixed hanger 37/40/45/56/60





SP-33~60
hanger 37/45/56

rear bike rack hanger A

rear bike rack hanger 貨架

rear bike rack hanger B

rear bike rack hanger 77







rear bike rack hanger D

rear bike rack hanger E

rear bike rack hanger H

rear bike rack hanger G



FENDER

FAT TIRE

customized design 客製化設計
 electric bicycles can be used 電動自行車也能使用
 lightweight ride without burden 輕量化 騎乘無負擔
 easy installation and quick disassembly 簡易安裝快速拆卸



SP-151-1

20" - 30" |

SP-151-2

20" - 30" |

SP-151-3

20" - 30" |

SP-151-4

10" - 30" |

SP-151-5

20" - 30" |



BIKE

SP-151-6

12" - 30" |

SP-151-7

12" - 30" |

SP-151-102

20" - 30" |

SP-151-201

12" - 30" |

SP-151-202

12" - 30" |



for front suspension forks 避震前叉

for the rear wheel 後輪專用



MTB

SP-952

20" ~ 26"



inner dia 22~26mm





FENDER

ROAD

B-108

27" ~ 29"

detachable 可拆卸



universal fender

inside alloy conductive recyclable material fender 可回收無毒複合材質導電泥除

SP-33S

20" ~29"



SP-37A*3

20" ~29"



SP-40A*3

18" ~29"



SP-40A

12" ~29"



SP-45A

12" ~29"



SP-50S

12" ~29"



BIKE

SP-50A+3

12" ~29"



21 mm
50±2

SP-52S

20" ~29"



20 mm
52±2

SP-52A

20" ~29"



20 mm
52±2

SP-56A

20" ~29"



23 mm
56±2

SP-60A

20" ~29"



22 mm
60±2

SP-75A

20" ~29"



30 mm
73±2



FENDER

universal fender

impact resistant engineering plastic painting fender 耐衝擊工程塑料噴漆泥除

SP-33C

20" ~29"

SP-37C

20" ~29"

SP-40C

28" ~29"

SP-45B

20" ~29"



SP-50M


20" ~29"

SP-56C

20" ~29"

SP-60M

20" ~29"



BIKE

SP-52AP

26" ~ 29"



SP-56AP

26" ~ 29"



SP-75AP

26" ~ 29"



SP-56CP

26" ~ 29"



SP-60CP

26" ~ 29"



Patent number: 108214687
Strengthen rear fender support
Multi-tube conductive wire frame structure

強化後泥除支撐 多管導電線架結構



FENDER

Aluminum alloy

customized products of special specifications 特殊規格客製化

SP-45LY

18" ~23"

SP-58LY

18" ~23"

SP-85L

16" ~23"



BIKE


rear fender

double layer aluminum alloy

double layer aluminum alloy 雙層鋁合金

SP-45LY

18" ~23"



SP-50LY

18" ~23"



SP-58LY

18" ~23"



SP-62LY

18" ~23"




SP-70LY

18" ~23"




SP-65LY

18" ~23"



SP-75LY

18" ~23"




SP-85L

16" ~23"



Tire specifications
wheel rim width



model	SP-45LY	SP-50LY	SP-58L	SP-58LY	SP-62LY	SP-65LY	SP-66L	SP-70L	SP-70LY	SP-75LY	SP-85L	SP-105L
Metric sizes (mm)	35~42	45~47	55~58		57~60	58~62	60~66	62~68		67~75	75~90	90~115
Fractional inch size	1 3/8	1 1/2	1 1/2 ~ 1 3/4		1 3/4 ~ 2 1/2	2 ~ 2 1/4	2 1/4 ~ 2 1/2					
Decimal sizes	1.35	1.5	1.75~1.95		1.75~2	1.95~2.125	2~2.2	2.125~2.25		2.25~2.5	2.5~3	3~4
Straight-Side (SS) rims	16~24	22~27	27~30.5		27~30.5	27~30.5	27~30.5	27~30.5		27~30.5		
Crochet-type (C) rims	17C~23C	19C~25C	25C									

SP-58L

18" ~29"

SP-66L

16" ~29"

SP-70L

18" ~29"

SP-105L

20" ~29"

SP-956

5mm

SP-956

5mm

double layer aluminum alloy 雙層鋁合金

SP-58L

18" ~29"



SP-66L

18" ~29"



SP-70L

18" ~29"



SP-105L

20" ~29"



FENDER

SP-85L+SP501

16" ~29"



SP-501

20" ~26"

thickness:1.5/3/4/5mm



SP-901

20" ~26"

Quick release protective skirt 快拆式護裙網



SP-70L

16" ~29"



SP-70L+SP-503

20" ~26"

thickness:1.5/3/4/5mm



BIKE

CHAIN COVER 鏈罩

COMPOSITE MATERIAL

multiple color combinations 多種顏色搭配組合

metal color material plastic 輕量化材質 金屬質感

SP-974S

pearl blue R.C:FE10A



SP-974S

pearl orange & matt black R.C:FE12A



SP-974T

pearl blue R.C:FE7A



CHAIN COVER

MODEL 型號	SP-974S	SP-974T
chainwheel teeth 大盤齒盤數	33/38T	38/48T
material 材質	composite material 複合材質	
R.C (mm)	no limited 無限制	
inner Dia of chain cover 鏈罩內圈尺寸(mm)	55/105	173
outer Dia of chain cover 鏈罩外圈尺寸(mm)	185	240
side with of the chain cover 鏈罩側寬 (mm)	28	29

R.C				
Matt Black	Shine Black	Matt Silver	Shine Silver	White
customize color				

CITY BIKE

SP-33C
shine silver




SP-38C
black



SP-39
black



SP-38
smoke



SP-38C-S
shine black



SP-989
dark gray



MODEL 型號	SP-33C	SP-38C	SP-38	SP-38C-S	SP-989	SP-43/44	SP-45/46	SP-48C-S	SP-48	SP-145	SP-40	SP-44L	SP-39
chainwheel teeth 大盤齒盤數	33T	38T	38T	38T	38T	42/44T	46/48T	48T	48T	48T	40T~44T	40T~44T	BMX
material 材質	PP/PC/ABS									PC/ABS	Aluminum alloy		PP/ABS
R.C (mm)	305~420	245~460	245~460	265~460	253~460	290~455	320~470	350~400	315~440	315~440	370	370	258~340
inner Dia of chain cover (mm)	60/102	105	150	105	100/120	175	190	173	166	170	184	184	
outer Dia of chain cover (mm)	170	176	215	176	174	212	230	232	237	237	190	206	
side with of the chain cover (mm)	25	22	27.5	22	22	25	21	23	25	31	20	20	25

SP-43
blood red




SP-45
matt gray



SP-48
iron black



SP-44
blood red



SP-46
matt gray & matt black



SP-48C-S
pearl matt black



SP-145
flash black



SP-40
matt black



SP-44L
silver



Matt Black	Shine Black	Matt Silver	Shine Silver	White	customize color

ADJUSTABLE DESIGN

SP-33C-1
dimming light blue



SP-43C-1
Pearl red matt black



SP-38C-1
dark gray



SP-48C-1
flash gold



BIKE

MODEL 型號	SP-33C-1	SP-38C-1	SP-43C-1	SP-48C-1
chainwheel teeth 大盤齒盤數	33T	38T	43T	48T
material 材質	PC/PP/ABS			
R.C (mm)	325~400	358~437	325~425	335~425
inner Dia of chain cover 鏈罩內圈尺寸(mm)	60/102	105	160	170
outer Dia of chain cover 鏈罩外圈尺寸(mm)	170	176	208	230
side with of the chain cover 鏈罩側寬 (mm)	25	22	20	21

Matt Black	Shine Black	Matt Silver	Shine Silver	White
customize color				

SP-38P-1
matt black



SP-42-1
matt black



SP-601
sand black

客製化規格 Customized specification



SP-44F-1
matt black



SP-48F-1
matt black



SP-602
shine black

客製化規格 Customized specification



MODEL 型號	SP-38P-1	SP-42-1	SP-44F-1	SP-48F-1	SP-601	SP-602
chainwheel teeth 大盤齒盤數	36T~40T	40T~44T	40T~44T	46T~52T		
material 材質	ABS				PP	PP
R.C (mm)	400~430	285~450	285~450	320~465		
inner Dia of chain cover 鏈罩內圈尺寸(mm)	104	166	166	216		
outer Dia of chain cover 鏈罩外圈尺寸(mm)	194	206	206	261		
side with of the chain cover 鏈罩側寬 (mm)	27	27	27	27		

ACCESSORIES 配件

Multiple injection equipment Customized plastic parts 多款射出設備 塑膠配件客製化

Provide professional quality according to customer needs 依據客戶需求提供專業品質

Cooperate with customers to develop bicycle related products 配合客戶開發自行車相關產品

SPOKE PROTECTOR 鋼絲護盤

SP-95-1



SP-103-2



SP-103-3



SP-103-4



SP-103-5



CHAIN GUARD 鏈蓋

SP-56T



SP-197-8



FORK PROTECTOR 前叉保護桿

SP-105-2



110/135mm

Front fork open gear 110/135mm
Fork mouth groove 10mm

MODEL 型號	SP-95-1	SP-103-2	SP-103-3	SP-103-4	SP-103-5
hub 花鼓	36H	36H	36H	32H	32H
outer Dia 外徑	4 1/4" 105mm	5 1/2" 138mm	5 1/2" 139mm	5 1/2" 138mm	6" 153mm
freewheel 飛輪	28T	28T	28T	28T	32T

CLAMP 束圈

CLAMP-15



CLAMP-19/22



CLAMP-25.4



CLAMP-28.5



CLAMP-32



CLAMP-34.9



MUITE PURPOSE BRACKET 多用途束架
inner Dia 25.4/28.5/32/34.9mm

SP-130-10
inner Dia 25.4mm



SP-130-15
inner Dia 28.5mm



BRAKE CABLE GUIDE 煞車線全通止栓

SP-102-3



SP-102-4



SHIFT CABLE GUIDE 五通導線板

SP-109-7



SP-109-8



TOP TUBE CABLE GUIDE 上管全通止栓

SP-102-1



SP-102-2



SEAT TUBE PROTECTOR 中管護套

HUB PROTECTOR 花鼓保護套

SP-105-3A
standard 28±1mm



SP-105-3B
overside 31.75±1mm



SP-106-3



SP-106-5




LYTPE SATY L型鏈蓋支撐架


SP-01S




SP-01L



SP-04L




SP-08L



SP-10





SP-11



SP-11L



SP-12



BIKE



<https://bike-men.com>



TAIWAN

B.K-MEN CO., LTD

238013, No.9, Ln. 80, Sec. 2, Xizun St., Shulin Dist
New Taipei City

TEL:886-2-2680-7901~3

FAX:886-2-2680-7906

E-mail:spjh1@ms17.hinet.net

management@bikemen.com.tw

CHINA

BIKEMEN CYCLE PARTS CO., LTD

No.15, Guoze Road, Penglang town,
Kunjia technology district Kunshan City Jiangsu

TEL:86-512-57865752

FAX:86-512-57865247

E-mail:bikemen@126.com

